Cumulative Index 1990

Volume 17

March	SEXUALLY TRANSMITTED DISEASES, pages 1–211
June	DISORDERS OF THE EARS, NOSE, AND THROAT, pages 213–467
September	PHARMACOTHERAPEUTICS FOR THE PRIMARY CARE PHYSICIAN, pages 469–712
December	INFECTIOUS DISEASES, pages 713–928

Note: Page numbers of article titles are in **boldface** type.

Acetaminophen, in pregnancy/lactation, 631, 637
  zidovudine use with, 595
Acetic acid test, in venereal warts, 133
Acetohexamide, as hypoglycemic, 513
Acetylcysteine, in COPD, 681
Acne vulgaris, drug therapy for, in pregnancy, 630
Acoustic admittance, definition of, 234
Acoustic impedance, definition of, 234
Acoustic neuroma. See under *Neuroma*.
Acoustic reflectometry, 235, 241
Acoustic reflex testing, clinical applications of, 245
  in facial paralysis, 450
  physical principles of, 240–241
Acoustic reflex threshold, 235
Acquired immunodeficiency syndrome. See also *Human immunodeficiency virus infection*.
  control of, political aspects of, 193–197
  infections with. See under *Opportunistic infections*.
  neck masses in, 426
  oral manifestations of, 391–392
Acromegaly, hoarseness in, 358
Actinic cheilitis, 367–369
Actinic keratosis, of external ear, 229
Acyclovir, 550–551, 636–637, 772
  in genital herpes infection, 105–106, 109, 843
  in herpetic gingivostomatitis, 373
  in pregnancy, 636–637
  in venereal warts, 141
Adenocarcinoma, of salivary glands, 411
Adenoid cystic carcinoma, of salivary glands, 411, 431
Adenoidectomy, in otitis media, 283
Adenoids, hyperplasia of, vs. rhinitis, 319
Adenoma, of salivary glands, 410, 430
Adenovirus vaccine, 726
Aerochamber inhalation device, in asthma, 690
Aeromonas hydrophila, in diarrhea, 859, 864
Affective disorders, **565–588**
  benzodiazepines in, 579–580
  carbamazepine in, 580, 585
  diagnosis of, 565–567
  in geriatric population, 581
  in pregnancy, 638–639
  lithium in, 580, 582–585
  monoamine oxidase inhibitors in, 574–576
  organic, 567
  second-generation antidepressants in, 576–579
  secondary to medical illness, 580–581
  stimulants in, 580
  tricyclic antidepressants in, 567–574
AIDS. See *Acquired immunodeficiency syndrome*; *Human immunodeficiency virus infection*.

Albuterol, in asthma, 688–689
Alcohol use, in pregnancy/lactation, 640
Allergy. See also *Asthma*.
  blepharitis in, 778–779
  cheilitis in, 368
  dermatitis in, of external ear, 224
  drug therapy for, **697–701**
    in pregnancy/lactation, 628–629
  rhinitis in, 310–315
  to antibiotics, 756–757
Alprazolam, in depression, 579–580
Amantadine, 771–772
  in COPD, 680
  in influenza, 795
  in pregnancy/lactation, 634
Amebiasis, 859, 863–864
  AIDS-associated, 550
  sexually transmitted, 165–166
Amikacin, 765
  in mycobacterial infection, 557
Aminoglycosides, 764–767
  in urinary tract infection, in pregnancy/lactation, 636
Aminopenicillins, 749
Aminophylline, in COPD, 676–677
Amitriptyline, in depression, 570, 572
Amoxapine, in depression, 576–577, 579
Amoxicillin, 749
  in cellulitis, 899–900
  in chancroid, 150
  in gonococcal infection, 68
  in otitis media, 277, 279, 532–533, 803
  in pregnancy, 634
  in respiratory infections, 634
  in sinusitis, 534, 806
  in urinary tract infection, 526–527, 529, 830, 895
  in vaginitis, 123
Amoxicillin-clavulanate, in animal bites, 636
  in cellulitis, 899–900
  in otitis media, 533
  in pregnancy, 634–636
  in respiratory infections, 634
  in sinusitis, 534
  in skin infections, 535
Amphotericin B, in fungal infections, 555, 770
Ampicillin, 749
  in arthritis-dermatitis syndrome, 879
  in bronchitis, 531
  in pregnancy, 634, 636
  in respiratory infections, 634
  in Salmonella infection, 557
  in sinusitis, 806
  in urinary tract infection, 528, 636, 895
Amyloidosis, hoarseness in, 360
Amyotrophic sclerosis, hoarseness in, 358
Anaerobic infections, antibiotics for, 767–768
Anal intercourse, 35–36, 40
Anaphylaxis, in antibiotic therapy, 756–757
Anesthesia, in pregnancy, 628
Angina, Ludwig's, 869–870
Angiotensin converting enzyme inhibitors, in pregnancy/lactation, 630
Angular cheilitis, 368
Anilingus, disease transmission in, 36
Ansamycin, in mycobacterial infection, 557
Antacids, in pregnancy, 632
Anthrax vaccine, 726
Antiarrhythmic drugs, in pregnancy/lactation, 629
Antibiotics, **521–541**, **744–773**. See also specific antibiotic and disease.
  allergic reactions to, 756–757
  beta-lactam, 522, 746–757
    with beta-lactamase inhibitor, 755–756
  broad spectrum, 759–762
  costs of, 524
  fluoroquinolones, 522, 524–525, 529
  in bronchitis, 530–531, 893–894
  in conjunctivitis, 785–786
  in COPD, 680
  in elderly persons, **883–903**
  in fungal infections, 769–771
  in infectious diarrhea, 864
  in otitis media, 277–280, 532–533, 803
  in pneumonia, 531–532, 888–892
  in prostatitis, 535–536
  in respiratory infections, 530–532
  in sinusitis, 533–534
  in skin infections, 534–535
  in urinary tract infection, 526–529
  in viral infections, 771–772
  new developments in, 521–526
  quinolones, 757–759
  resistance to, in gonorrhea, 10
  with anaerobic activity, 767–768
  with Gram-negative activity, 764–767
  with Gram-positive activity, 762–764
Anticholinergic drugs, in allergic rhinitis, 314
  in COPD, 675–676
Anticoagulants, in pregnancy, 630
Antidepressants, in pregnancy/lactation, 638–639
  second-generation, 576–579
  tricyclic (first-generation), adverse effects of, 572–573
    costs of, 568
    dosage of, 570–571
    efficacy of, 567
    indications for, 567
    mechanism of action of, 570
    pharmacokinetics of, 570
    treatment considerations and, 568–570
    types of, 567
Antidiabetic agents, **499–519**
  in pregnancy/lactation, 630–631
  insulin, 499–510, 630–631

oral hypoglycemics, 510–516, 631
sulfonylureas, 510–516
Antihistamines, in allergy, 313, 628–629, 697–698, 700
in common cold, 795
in otitis media, 281
in sinusitis, 329
Antimicrobial agents. See *Antibiotics*.
Antiretroviral agents, 552–554
Antiviral agents, 771–772
Anxiolytics, in COPD, 681
in pregnancy, 638–639
Aphthous stomatitis, recurrent, 378–381
Arterial blood gas, in COPD, 672
Arthritis, in gonococcal infection, 71
NSAIDs in, 590
Arthritis-dermatitis syndrome, 878–879
Aspartame, in pregnancy, 641
Aspirin, gastrointestinal effects of, 596
in fever, 631, 637
in musculoskeletal disorders, 637
in pregnancy/lactation, 631
Asteatosis, of external ear, 224–225
Astemizole, in allergy, 698
Asthma, drug therapy for, **685–701**
corticosteroids in, 694–697
cromolyn in, 692–694
goals of, 685–686
in pregnancy/lactation, 639
β-sympathomimetic agonists in, 687–690
theophylline in, 690–692
treatment options in, 686
Astringents, in conjunctivitis, 783–784
Atenolol, in pregnancy/lactation, 629
Atherosclerosis, hypercholesterolemia and, 479–481
Atopic dermatitis, of external ear, 224
Atrophic glossitis, 374–375
Atrophic rhinitis, 317–318
Atropine, in COPD, 675
Audiometry, as screening test, 252–253
immitance, **233–247**
acoustic reflectometry in, 235, 241
acoustic reflex testing in, 235, 240–241, 245
clinical applications of, 241–245
definition of, 234
history of, 233–234
physical principles of, 235–241
tympanometry in, 235–239, 241–242
types of, 234–235
in facial paralysis, 450
Autoimmune disease, hoarseness in, 360
Autoinflation, in otitis media, 283
Axonotmesis, in facial nerve paralysis, 442
Azidothymidine. See *Zidovudine*.
Azithromycin, 524
Azlocillin, 750
AZT. See *Zidovudine*.
Aztreonam, 755
in pneumonia, 892

Bacillus cereus, in diarrhea, 855, 858, 862
Back pain, in pelvic inflammatory disease, 175
Bacterial vaginosis, 116, 123–124, 834–835
Bacteriuria. See *Urinary tract infection*.
Bacturicult urine culture system, 738–739
Bartholinitis, in chlamydial infection, 86–87
Basal cell carcinoma, of external ear, 229
Bathhouses, gay, 35
Beclomethasone, in allergic rhinitis, 315, 699
in asthma, 696
Bell's palsy, 443, 448–450, 454–458
Benign mucous membrane pemphigoid, oral, 387–388
Benzafibrate, in hypercholesterolemia, 491
Benzathine penicillin, 748
in syphilis, 634–635
Benzodiazepines, in depression, 579–580
Beta-blockers, in pregnancy/lactation, 629–630, 637–638
Beta-lactam antibiotics, 522, 746–757
with beta-lactamase inhibitor, 755–756
Betamethasone, in aphthous stomatitis, 380
Bichloroacetic acid, in venereal warts, 140
Bile acid sequestrants, in hypercholesterolemia, 485–489, 492
Biopsy, of neck masses, 432–433
Bipolar disorders, carbamazepine in, 585
diagnosis of, 565–566
in pregnancy/lactation, 639
lithium in, 582–585
Birth control pills. See *Oral contraceptives*.
Bisexual behavior, 37–40
Bites, antibiotics for, in pregnancy, 636
Bitolerol, in asthma, 689
Black hairy tongue, 376–377
Bladder infections, drug therapy for, 526–529
Bleeding, NSAIDs and, 597
Bleomycin, in venereal warts, 141
Blepharitis, 778–779
Blood culture, in pneumonia, 816–817
Bony lesions, of external ear, 227–228
Bowenoid papulosis, vs. venereal warts, 134
Bowen's disease, vs. venereal warts, 134
Brachioproctic eroticism, 36
Brain abscess, in sinusitis, 331
Brainstem lesions, acoustic reflex testing in, 245
Branchial cleft abnormalities, in neck, 424
Branhamella catarrhalis, in chronic bronchitis, 893
in otitis media, 801, 803
in sinusitis, 805–806

Breast-feeding. See *Lactation*.
Breast infection, drug therapy for, 633
Brethancer device, in asthma, 690
Brompheniramine, in pregnancy/lactation, 628
Bronchitis, 812–814
  acute, 812–813
    antibiotics for, 530–531
  chronic, 813–814. See also *Chronic obstructive pulmonary disease*.
    antibiotics for, 531
    in elderly, 892–894
Buboes, in lymphogranuloma venereum, 154
Bupropion, in depression, 576–579
Buschke-Lowenstein tumor, vs. venereal warts, 134

Caffeine, in pregnancy/lactation, 640–641
Calcitonin, in osteoporosis, 658
Calcitriol, in osteoporosis, 658
Calcium supplementation, in osteoporosis, 655–656
Calculi, of salivary glands, 407–408
Caldwell-Luc procedure, in sinusitis, 331
Callous, of vocal folds, hoarseness in, 356
Caloric testing, in dizziness, 302
Campylobacter fetus, in diarrhea, 855, 858–859, 861–862, 865
Cancer. See also *Carcinoma*.
  estrogen therapy and, 649
  laryngeal, hoarseness in, 357
  metastatic, of neck, 427–429
  oral contraceptives and, 614
  salivary glands, 410–411
Candidiasis, drug therapy for, in pregnancy/lactation, 636
  in immunodeficiency, 554–555
  in vaginitis, 116, 118, 121–122
  oral, 381–382
Cantharidin, in venereal warts, 141
Captopril, in pregnancy/lactation, 630
Carbamazepine, in bipolar disorders, 585
  in depression, 580
Carbapenems, 755
Carbenicillin, 750
Carbenicillin indanyl, in prostatitis, 536
  in urinary tract infection, 528
Carbon dioxide tension, in COPD, 672
Carboxypenicillins, 750
Carbuncle, 875
Carcinoma, of external ear, 229
  squamous cell, metastatic to neck, 427–429
    of oral cavity, 392–395
    of salivary glands, 411
  vs. venereal warts, 133–134
Cardiovascular disease, from oral contraceptives, 612
  risk factors for, 481–483
Cardiovascular drugs, in pregnancy/lactation, 629–630
Cardiovascular effects, of estrogen therapy, 648–649
  of tricyclic antidepressants, 572
Cartilage disorders, of external ear, 222–223
Catheter-related urinary tract infection, 897–898
"Cauliflower ear," 217
Cefaclor, 753
  in otitis media, 279, 532–533
  in sinusitis, 534
Cefadroxil, 751
Cefamandole, 752–753
Cefatamet pivoxyl, 522
Cefazolin, 751
  in urinary tract infection, 636
Cefixime, 754
  in otitis media, 280, 533
  in urinary tract infection, 529
Cefmetazole, 753
Cefonicid, 753
Cefoperazone, 754
Cefotaxime, 753
  in Salmonella infection, 557
Cefotetan, 753
  in sexually transmitted disease, 635
Cefotoxin, in sexually transmitted disease, 635
Cefoxitin, 753
Ceftazidime, 754
Ceftizoxime, 754
Ceftriaxone, 753–754
  in arthritis-dermatitis syndrome, 879
  in chancroid, 845
  in epididymitis, 841
  in gonococcal infection, 68, 76–77, 839
  in pharyngitis, 799
  in pregnancy/lactation, 634–636
  in sexually transmitted disease, 634–635
  in syphilis, 53
  in tick-borne disease, 636
Cefuroxime, 753
Cefuroxime axetil, in otitis media, 279–280, 533
  in urinary tract infection, 529
Cellulitis, antibiotics for, 534–535
    in pregnancy, 636
  Haemophilus influenzae in, 880
  in elderly persons, 898–900
  leg, 870
  periorbital, 868–869
Centers for Disease Control, sexually transmitted diseases and, 193–196
Central nervous system disorders, acoustic reflex testing in, 245
  brain abscess, 331

dizziness in, 302
hearing loss in, 254
Cephadrine, 751
Cephalexin, 751
in prostatitis, 536
in urinary tract infection, 528
Cephalosporins, 751–755
in anaerobic infections, 767
in cellulitis, 899
in gonococcal infection, 70–71
in pneumonia, 821, 889–891
in pregnancy, 634, 636
in prostatitis, 897
in respiratory infections, 634
in streptococcal skin infections, 868–869
in urinary tract infection, 636, 895
new developments in, 522–523
Cephalothin, 751
Cephapirin, 751
Cerebrospinal fluid rhinorrhea, vs. rhinitis, 320
Cerebrovascular disease, hearing loss in, 254
Cerumen, deficiency of, 224–225
removal of, 220–221
Cervical cancer, in human papillomavirus infection, 178
"Cervical vertigo," 302
Cervicitis, 87, 835–836
Chalazion, 780–781
Chancroid, **145–152**, 845
complications of, 149–150
diagnosis of, 146–148
differential diagnosis of, 148–149
epidemiology of, 145–146
treatment of, 150
Cheilitis, 367–369
Chest x-ray, in pneumonia, 815–816
Child abuse, gonococcal infection and, 72–76
venereal warts in, 138
Chlamydia trachomatis, 85–86
in lymphogranuloma venereum, 153–154
in otitis media, 801
Chlamydial infection, **85–93**
cervicitis in, 835–836
clinical manifestations of, 86–90
control of, politics of, 197–199
diagnosis of, 91
disseminated, 846
drug therapy for, in pregnancy, 634
endometritis in, 89–90
epidemiology of, 11, 85
Fitz-Hugh-Curtis syndrome in, 88–89
gonococcal infection with, 77–78, 835–836
in men, 205–206
in neonate, 90–91
infertility in, 174
microbiology of, 85–86
pelvic inflammatory disease and, 88, 837–838
transmission of, 86
treatment of, 87, 91
urethritis, 839–841
Chloramphenicol, 762
in anaerobic infections, 767
in Salmonella infection, 557
in tick-borne disease, in pregnancy, 636
Chlorhexadine, in aphthous stomatitis, 380
Chloroquine, in pregnancy, 632–633
Chlorpheniramine, in allergy, 698
in pregnancy/lactation, 628
Chlorpropamide, as hypoglycemic, 513, 515
Choanal atresia, vs. rhinitis, 319
Cholera, 854, 859, 861, 864
immunization for, 726
in pregnancy, 632
Cholesteatoma, hearing loss in, 258
Cholesterol, elevated blood levels of. See *Hypercholesterolemia*.
oral contraceptive effects on, 614
Cholesterol-Lowering Atherosclerosis Study, 481
Cholestipol, in hypercholesterolemia, 485–489, 492
Cholestyramine, in hypercholesterolemia, 482, 485–489, 492, 629
in infectious diarrhea, 864
Chondrodermatitis nodularis chronica helicus, 222–223
Chorioretinitis, cytomegaloviral, 551–552
Chronic obstructive pulmonary disease, **667–684**
acute respiratory failure in, 673, 681–682
clinical course of, 672–673
clinical presentation of, 670–671
definition of, 667–668
incidence of, 668
laboratory tests in, 672
management of, 673–682
antibiotics in, 680
anticholinergics in, 675–676
corticosteroids in, 678–679
expectorants in, 681
immunotherapy in, 680
in acute respiratory failure, 681–682
in complications, 680–681
methylxanthines in, 676–678
oxygen in, 679–680
pulmonary rehabilitation in, 682
sedatives in, 681
sympathomimetics in, 674–675
pathophysiology of, 669–670
pulmonary function testing in, 671
risk factors for, 668
Cimetidine, in pregnancy, 632
with NSAIDs, 596
Cinoxacin, in urinary tract infection, 528
Ciprofloxacin, 522–523, 758
in cellulitis, 899–900
in chancroid, 150

Ciprofloxacin *(Continued)*
in gonococcal infection, 77–78
in mycobacterial infection, 557
in otitis media, 533
in pneumonia, 892
in Salmonella infection, 557
in urinary tract infection, 529
Clavulanate. See also *Amoxicillin-clavulanate.*
in chancroid, 150
in otitis media, 279
in vaginitis, 124
Clindamycin, 763
in anaerobic infections, 767
in cellulitis, 900
in pneumonia, 890–891
in pregnancy/lactation, 630, 635
in sexually transmitted disease, 635
in sinusitis, 329
in skin disorders, 630, 875
in toxoplasmosis, 549
in vaginitis, 124
Clinical pharmacist, 470–475
Clinicult urine culture system, 736
Clofazamine, in mycobacterial infection, 557
Clofibrate, in hypercholesterolemia, 482, 491
Clonidine, in migraine headache, 637
in pregnancy/lactation, 630, 637
Clostridium difficile, in diarrhea, 855, 858, 862, 864–865
Clostridium perfringens, in diarrhea, 855, 858, 862, 865
Clotrimazole, in fungal infections, 554, 770
in oral candidiasis, 382
in parasitic infestations, 633
in pregnancy/lactation, 633, 635–636
in sexually transmitted disease, 635–636
in vaginitis, 121, 123
Cloxacillin, in mastitis, 633
in soft-tissue infections, 535
Cocaine use, in pregnancy, 640
"Cock rings," 41
Coherence therapy, in osteoporosis, 659
Colchicine, in aphthous stomatitis, 381
in gout, 592
Cold, common, 309–310, 793–796
Collagen disease, hoarseness in, 360
Colposcopy, in venereal warts, 133
Common cold, 309–310, 793–796
Compliance, in audiometry, 234
Condoms, 41
Condylomata acuminata, 845. See also *Venereal warts.*
in pregnancy, 635
Condylomata lata, vs. venereal warts, 137
Congenital anomalies, of external ear, 214–215
of neck, 424–425
Congenital syphilis, 50–53, 176
Conjunctivitis, 781–787
in chlamydial infection, 91
Constipation, drug therapy for, in pregnancy, 632
Contact cheilitis, 368
Contact granuloma, laryngeal, hoarseness in, 357
Contraceptives, failure rates of, 606
oral. See *Oral contraceptives.*
sexually transmitted diseases and, 189
COPD. See *Chronic obstructive pulmonary disease.*
Cor pulmonale, in COPD, 680–681
Cornea, infections of, 788–789
Coronary Drug Project, 482
Corticosteroids, in allergic rhinitis, 315, 699
in asthma, 639, 694–697
in COPD, 678–679
in croup, 339
in eosinophilic nonallergic rhinitis, 316
in facial nerve paralysis, 457
in lichen simplex, 124
in musculoskeletal disorders, 637
in otitis media, 280–281
in *Pneumocystis carinii* pneumonia, 545, 548
in pregnancy/lactation, 628–630, 637, 639
in skin disorders, 630
Cough, in bronchitis, 813–814
medicine for, in common cold, 795
Counseling, about sexually transmitted disease, 20–21
Crab louse, 161–162
Cromolyn, in allergic rhinitis, 314–315, 699–700
in asthma, 692–694
in pregnancy/lactation, 628
Crotamiton, in crab lice infestation, 162
in pregnancy, 633
in scabies, 163
Croup, **338–340**
Cryotherapy, in venereal warts, 139
Cryptococcosis, AIDS-associated, 555–556
Cryptosporidiosis, AIDS-associated, 550
diarrhea in, 859, 863
sexually transmitted, 169
Culture, urine, 828–829
in office laboratory, 735–739
Cunnilingus, 40
Cupulolithiasis, dizziness in, 301
Cylindroma, of salivary glands, 411, 431
Cyst(s), branchial cleft, 424
mucous retention, in sinusitis, 329–330
of lip, 370
of external ear, 214, 228
of salivary glands, 409
thyroglossal duct, 424–425
Cystic fibrosis, hoarseness in, 360
Cystitis. See also *Urinary tract infection.*
bacterial, 526–527
in chlamydial infection, 87

in elderly women, 895
Cytomegalovirus infection, AIDS-associated, 551–552
antibiotics in, 772
Cytoprotective agents, with NSAIDs, 596–597

Dacrocystitis, 787–788
Dapsone, in aphthous stomatitis, 381
in *Pneumocystis carinii* pneumonia, 545, 548–549
"Dawn phenomenon," insulin and, 508
Decongestants, in allergy, 699–700
in otitis media, 281
in sinusitis, 328–329, 806
Dehydration, in diarrhea, 856–857, 863
Demeclocycline, 759
Demodex parasite, in blepharitis, 778–779
Depression, atypical, drug therapy for, 567, 574
benzodiazepines in, 579–580
carbamazepine in, 580
definition of, 567
diagnosis of, 566
in geriatric population, 581
in oral contraceptive use, 615
in pregnancy/lactation, 638–639
lithium in, 580
"masked," in elderly patients, 581
monoamine oxidase inhibitors in, 574–576
psychotic, treatment of, 567
second-generation antidepressants in, 576–579
secondary to medical illness, 580–581
stimulants in, 580
tricyclic antidepressants in, 567–574
Dermatologic disorders. See also *Skin disorders*.
drug therapy for, 534–535
in pregnancy, 630
in gonococcal infection, 71
of external ear, 223–225
Desipramine, in depression, 570–572
Dexamethasone, in croup, 339
in toxoplasmosis, 549
Dextromethorphan, in pregnancy, 634
DHPG (ganciclovir), in cytomegaloviral infections, 551–552, 772
Diabetes mellitus, Bell's palsy in, 449
hoarseness in, 358
in pregnancy, 630–631
insulin therapy in, 499–510, 630–631
neuropathy in, NSAIDs in, 592
oral contraceptives and, 614–615
oral hypoglycemics in, 519–516
Diarrhea. See also *Dysentery*.
drug therapy for, in pregnancy/lactation, 631–633
infectious, **853–866**
history in, 855–856
in day care centers, 865
infectious dose in, 853
laboratory evaluation of, 859–863
pathogenesis of, 854–855
pathogens causing, 857–859
perception of, 853
physical examination in, 856–857
prevention of, 865
systemic factors affecting, 854
therapy for, 863–865
traveler's, 865
Diclofenac, hepatotoxicity of, 597
in dysmenorrhea, 590–591
in headache, 591–592
Dicloxacillin, 749–750
in mastitis, 633
in skin infections, 636
Dideoxycytidine, antiretroviral activity of, 554
Dideoxyinosine, antiretroviral activity of, 554
Dientamoeba fragilis infestation, sexually transmitted, 169–170
Diet, in hypercholesterolemia, 484–485
9[1,3-Dihydroxy-2-propoxy)methyl]-guanine (ganciclovir), in cytomegaloviral infections, 551–552, 772
Diiodohydroxyquin, in amebiasis, 166
Dildoes, 41
Diloxanide furoate, in amebiasis, 166
Dimenhydrinate, in vomiting, 631
Diphenhydramine, in pregnancy/lactation, 628, 631
Diphenoxylate, in infectious diarrhea, 864
in pregnancy, 631–632
Diphtheria, immunization for, 714–718
pharyngitis in, 797
treatment of, 799
Dipstick urinalysis, 733–734
Dirythromycin, 524
Disodium cromoglycate, in allergic rhinitis, 314–315
Distichiasis, 784
Diuretics, in COPD, 680–681
Dizziness, **299–308**
central origin of, 302
clinical evaluation of, 302–303
drug therapy for, in pregnancy/lactation, 637
Meniere's disease and, 299–300
secondary to peripheral disorders, 300–302
treatment of, 303–304
Doxepin, in depression, 570, 572
Doxycycline, in bronchitis, 530–531
in cervicitis, 836
in chlamydial infection, 91
in epididymitis, 841

Doxycycline *(Continued)*
in gonococcal infection, 77
in lymphogranuloma venereum, 156
in urethritis, 839–840
Doxylamine, in vomiting, 631
Drug abuse, in pregnancy/lactation, 640
Drug-induced disorders, dizziness, 301
hearing loss, 250–251
rhinitis, 317
tinnitus, 291–292
xerostomia, 383
Dry mouth (xerostomia), 382–386, 408–409
DTP (diphtheria-tetanus-pertussis) vaccine, 714–719
Dysentery. See also *Diarrhea.*
amebic, 859, 863–864
AIDS-associated, 550
sexually transmitted, 165–166
Dysmenorrhea, NSAIDs in, 590–591
Dysphonia, spastic, 357
Dysthymia, diagnosis of, 566
drug therapy for, 567, 574
Dysuria, in urinary tract infection, 827

Ear disorders, audiometry in, **233–247**
dizziness in, **299–308**
examination in, 802
hearing loss in, in adults, **249–266**
of external ear, **213–231**
atresia, 214
bony lesions, 227–228
cartilage disorders, 222–223
congenital anomalies, 214–215
dermatoses, 223–225
developmental anatomy in, 213–214
ear piercing and, 216–217
facial paralysis in, 445–446
hematoma, 217
hyperplasia, 228
infection, 216, 225–227, 445–446
neoplasia, 228–229
obstructions, 218–221
otalgia, 215–216
trauma, 216–217
of middle ear. See also *Otitis media.*
effusion, 268
tympanometry in, 241–242
physical examination in, 251–252
tinnitus, **289–297**
Ear wax, deficiency of, 224–225
removal of, 219–221
Ectopic pregnancy, in pelvic inflammatory disease, 173–175
Eczema, of external ear, 224
Education, on sexually transmitted disease, 17–18, 199–200
genital herpes, 107–108
primary care provider role in, 187–188, 190
syphilis, 55–56
Elderly persons, depression in, 581
infections in, **883–903**
bacterial, 883–884
catheter-related, 897–898
chronic bronchitis, 892–894
chronic conjunctivitis, 782
immune response and, 884–885
lacrimal system, 788
pharmacokinetic changes and, 886–887
pneumonia, 815, 887–892
polypharmacy and, 886
prostatitis, 897
skin, 898–900
soft-tissue, 898–900
urinary tract, 894–898
Electroneuronography, in facial paralysis, 452–453
Electronystagmography, in dizziness, 302–303
Emphysema. See *Chronic obstructive pulmonary disease.*
Encephalitis, herpetic, in neonate, 110
Endocrine disorders, drug therapy for, in pregnancy/lactation, 630–631
hoarseness in, 358–359
Endolymphatic sac enhancement, in dizziness treatment, 304
Endometritis, 89–90, 837–838
Enoxacin, 522–523, 529
Entamoeba hartmanni infestation, sexually transmitted, 169–170
Entamoeba histolytica infestation, diarrhea in, 859, 863–864
sexually transmitted, 165–166
Enterobius vermicularis infestation, sexually transmitted, 124, 168–169
Eosinophilic nonallergic rhinitis, 316
Epidermodysplasia verruciformise, 178
Epididymitis, 175–176, 840–841
Epiglottitis, 340–342
Epinephrine, in asthma, 688
in croup, 339
Epstein-Barr virus infection, laboratory tests in, 741–742
Ergot alkaloids, in migraine headache, in pregnancy/lactation, 637
Erysipelas, 534–535, 868
Erythema infectiosum, 878
Erythema multiforme, oral, 386
Erythrasma, in pregnancy, 636
Erythromycin, 762–763
in bronchitis, 530–531
in chancroid, 150, 845
in chlamydial infection, 91
in infectious diarrhea, 865
in mastitis, 633
in otitis media, 279
in pharyngitis, 799
in pneumonia, 821, 889–890

in pregnancy/lactation, 630, 634–636
in prostatitis, 536
in respiratory infections, 634
in sexually transmitted disease, 634–635
in skin disorders, 630, 636, 867
in tick-borne disease, 636
in urinary tract infection, 528
new developments in, 524
Erythromycin-sulfisoxazole, in otitis media, 532
in sinusitis, 534
Erythroplasia of Queyrat, vs. venereal warts, 134
Escherichia coli, in diarrhea, 854, 858, 861, 864
in urinary tract infection, 895
Estrogens, cardiovascular effects of, 648–649
in menopause, **647–666**
adverse effects of, 649–650
progestins with, 650
regimens for, 650–652
in oral contraceptives, 606, 609
in osteoporosis, **656–657**
Ethambutol, in mycobacterial infection, 557
in pregnancy, 634
in tuberculosis, 556
Ethinyl estradiol, in oral contraceptives, 606
Ethynodiol diacetate, in oral contraceptives, 607–608
Eustachian tube, dysfunction of, 267–268
tympanometry in, 242
patulous, 290
Exfoliative cheilitis, 369
Exostosis, of external ear, 227–228
Expectorants, in COPD, 681
External ear physical volume test, 234–235
Eye, allergy affecting, drug therapy for, 700
cellulitis around, 868–869
Eye infections, **775–791**
dacrocystitis, 787–788
of conjunctiva, 781–787
of cornea, 788–789
of globe, 789–790
of lacrimal apparatus, 787–788
of lid, 778–781
of orbit, 790–791, 869
potential dangers of, 775, 777
principles of, 775–777
Eyelash deviation, 784
Eyelid, distortion of, 784–785
infections of, 778–781

Facial nerve, anatomy of, 438–439
disorders of, acoustic reflex testing in, 245
in salivary gland tumors, 410
Facial nerve paralysis, **437–460**
causes of, 443
classification of, 455–456
diagnosis of, 454–457
differential diagnosis of, 444–446
electric testing in, 451–454
idiopathic (Bell's palsy), 443, 448–450, 454–458
in Guillain-Barre syndrome, 447
in Melkersson-Rosenthal syndrome, 447–448
in trauma, 446–447
in tumors, 446
interpositional graft in, 458–459
management of, 457–459
nerve injury classification in, 441–442
nerve regeneration in, 443
neural degeneration in, 442–443
neuroma in, 446
pathophysiology of, 441–442
prognosis of, 443
testing in, 450–454
types of, 442–443
Factitious cheilitis, 369
Fansidar, in *Pneumocystis carinii* pneumonia, 548–549
Fasciitis, necrotizing, 870–871
Fellatio, 40
Fenofibrate, in hypercholesterolemia, 491
Fenoprofen, renal effects of, 594
Fetal alcohol syndrome, 640
Fetus, maternal drug use and. See *Pregnancy, drug use in.*
Fever, drug therapy for, 631
in opportunistic infections, 558
Fibric acid derivatives, in hypercholesterolemia, 491
"Fifth disease," 878
Fish oil, in hypercholesterolemia, 485
Fistula, branchial cleft, 424
perilymphatic, dizziness in, 300–301
Fitz-Hugh-Curtis syndrome, in chlamydial infection, 88–89
Fleroxacin, 523, 529
Floxacillin, 522
Fluconazole, in fungal infections, 556, 771
Flucytosine, in fungal infections, 555–556, 769
Flunisolide, in allergic rhinitis, 315, 699
in asthma, 696
Fluocinonide, in lichen planus, 391
Fluorides, in osteoporosis, 659
Fluorocytosine, in fungal infections, 769
Fluoroquinolones, 522, 524–525, 529, 757–759
Fluorouracil, in actinic cheilitis, 369
in venereal warts, 140
Fluoxetine, in depression, 576–579
Folinic acid. See *Leucovorin.*
Folliculitis, antibiotics for, 534–535
Folmetin, as platelet aggregation inhibitor, 597
Food poisoning. See *Diarrhea, infectious.*

Foreign body, in external ear, 218–220
in nose, vs. rhinitis, 319–320
Foscarnet, in viral infections, 550, 552
Fractures, estrogen therapy and, 656–657
Fungal infections, AIDS-associated, 554–556
antibiotics for, 769–771
hoarseness in, 359
in pregnancy, 636
of external ear, 226
of sinuses, 326
oral, 381–382
Furazolidone, in infectious diarrhea, 864
Furosemide, in pregnancy/lactation, 629
Furunculosis, 875
antibiotics for, 534–535
of external ear, 226

Gallstones, oral contraceptives and, 615
Ganciclovir, 772
in cytomegaloviral infections, 551–552
Gardnerella vaginitis, 116–118, 123–124, 834–835
in pregnancy, 635
Gastrointestinal disorders, drug therapy for, in pregnancy/lactation, 631–632
in NSAIDs therapy, 595–597
Gay bowel syndrome, 163–164
Gay persons. See *Homosexual behavior*.
Gemfibrozil, in hypercholesterolemia, 482–483, 491–492
Genital herpes simplex infection, **95–113**, 836, 841–843
asymptomatic viral shedding in, 97–98
clinical presentation of, 98–100
clinical stages of, 97–98
diagnosis of, 101–102
epidemiology of, 13–14, 95–96
fomite transmission of, 100–101
in pregnancy, 108–109
information sources for, 108
laboratory tests in, 102–104
latent, 97
lesions of, description of, 101
natural history of, 96–97
neonatal infection in, 109–110, 179
patient education in, 107–108
prevention of, 110–111
primary, 97
first episode of, 99
recurrence of, 98
first episode of, 100
sequelae of, 178–179
serotypes of, 104
treatment of, 104–106
triggering of, 101
viral serotypes in, 95
Gentamicin, 765
in pneumonia, 891
in sexually transmitted disease, in pregnancy/lactation, 635
Geographic tongue, 375–376
German measles immunization, 722–723
Giardia lamblia, in diarrhea, 855, 859, 864
Giardiasis, AIDS-associated, 550
sexually transmitted, 166–167
Gingival disorders, 370–374
Glandular cheilitis, 368–369
Glipizide, as hypoglycemic, 514–515
Globe, infections of, 789–790
Glossitis, atrophic, 374–375
benign migratory, 375–376
Glossodynia, 377–378
Glyburide, as hypoglycemic, 513–515
Gonococcal infection, **59–83**
anal, 69
antibiotic resistance in, 10, 76
asymptomatic, carriers of, 60–61
screening for, 63–65
barriers to discussion of, 59–60
cervicitis in, 835–836
child abuse and, 72–76
chlamydial infection with, 77–78, 835–836
clinical decision making in, 61–62
conjunctivitis, 782
culture for, 65–68
cutaneous, 878–879
diagnosis of, 65–67
disseminated, 71, 846, 878–879
doctor-patient relationship in, 80–81
epidemiology of, 8–10, 59
exposure to, cultures in, 67–68
follow-up in, 78–80
in female, 69–70
in heterosexual male, 68
in homosexual male, 69
in neonate, 72
in pediatric patient, 72–76
in pregnancy, 634
pelvic inflammatory disease and, 70, 837–838
pharyngitis, 77, 797–799
prevention of, 60–61
sexual history in, 62–63
symptoms of, 68–71
treatment of, 76–78
urethritis, 839–841
Gout, NSAIDs in, 592
Government role, in sexually transmitted disease prevention/control, 3, 193–204
Gram stain, in office laboratory, 734–735
Granulomatous lesions, of larynx, hoarseness in, 357, 359–360
of lips (cheilitis), 369
of salivary glands, 409
Gray baby syndrome, 762
Griseofluvin, in lichen planus, 391
Guillain-Barre syndrome, facial nerve paralysis in, 447

Haemophilus ducreyi, in chancroid, 145–148, 845
Haemophilus influenzae, immunization for, 714–715, 723
in chronic bronchitis, 893
in otitis media, 801–804
in pneumonia, 818, 890
in sinusitis, 805–806
in skin infections, 880
Hairy leukoplakia, in AIDS, 392
Haloperidol, in pregnancy/lactation, 639
Hay fever (allergic rhinitis), 310–315
Headache, NSAIDs in, 591–592, 637
Health department, in sexually transmitted disease prevention/control, 3
Hearing aids, 259–261
Hearing loss, acoustic reflex testing in, 245
audiometry in, 242–243
in adults, **249–266**
conductive, 250
diagnosis of, 250–253
differential diagnosis of, 253–258
in nursing home, 262
noise-induced, 255
sensorineural, 250, 254
sudden, 254
treatment of, 258–262
unsuspected, screening for, 263–264
in neck masses, 419
screening programs for, 243
with tinnitus, 291–292, 294
Heart failure, in COPD, 680–681
Heartburn, in pregnancy, 632
Helsinki Heart Study, 482–483
Hemangioma, of salivary glands, 405
Hematoma, of external ear, 217
Hemicrania, NSAIDs in, 591–592
β-Hemolytic streptococci, in pharyngitis, 796–800
screening technique for, 739–740
Hemorrhoids, drug therapy for, in pregnancy, 632
Heparin, in pregnancy/lactation, 630
Hepatitis, immunization for, in pregnancy, 632
in chlamydial infection, 88–89
Hepatitis B, epidemiology of, 16
immunization for, 724–725
Hepatotoxicity, of NSAIDs, 597–598
Herpes virus infections, AIDS-associated, 550–551
antibiotics in, 772
disseminated, 846
genital. See *Genital herpes simplex infection*.
in pregnancy, 636–637
neonatal, 109–110, 179
Herpes zoster oticus, in facial paralysis, 444
Herpetic gingivostomatitis, 370–373
Hilger nerve test, in facial paralysis, 451–452
Hip fracture, estrogen therapy and, 657
Histamine-2 antagonist therapy, with NSAIDs, 596–597
Histoplasmosis, AIDS-associated, 555
HIV infection. See *Acquired immunodeficiency syndrome*; *Human immunodeficiency virus infection*.
HMG-CoA reductase inhibitors, in hypercholesterolemia, 489–491
Hoarseness, **347–363**
etiology of, 356–361
examination techniques in, 354–356
in neck masses, 419
laryngeal anatomy and, 347–351
pathophysiology of, 352–353
symptoms of, 352
treatment of, 361–362
Hodgkin's lymphoma, in neck, 429
Homosexual behavior, bisexuality and, 37–40
female, 36–37
male, 34–36
situational, 38
Hordeolum (sty), 779–780
Hormone disorders, drug therapy for, in pregnancy/lactation, 630–631
hoarseness in, 358–359
Human immunodeficiency virus infection, 184. See also *Acquired immunodeficiency syndrome*.
epidemiology of, 11–13
infections with. See *Opportunistic infections*.
pharmacotherapy in, 552–554
prevention of, government role in, 3
resources for, 4
syphilis with, 53, 55
Human papillomavirus infection. See also *Venereal warts*.
epidemiology of, 14–16
sequelae of, 177–178
vulvar, 124
Hydralazine, in pregnancy/lactation, 630
3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors, in hypercholesterolemia, 489–491
Hydroxyzine, in allergy, 698
Hypercholesterolemia, **479–497**
atherosclerosis and, 479–481
dietary interventions in, 484–485
drug therapy in, 485–492, 629
epidemiology of, 481–483
familial, 480
in pregnancy/lactation, 629
lipid metabolism in, 479–481
polygenic, 480–481
risk determination in, 483–484
risk factors for, 481–483

Hypertension, drug therapy for, in pregnancy/lactation, 629–630, 637–638
NSAID use and, 594
Hyperthyroidism, drug therapy for, in pregnancy, 631
Hypoglycemics, oral, 510–516
in pregnancy/lactation, 631
Hypoparathyroidism, hoarseness in, 358

Ibuprofen, adverse effects of, 596–597
in diabetic neuropathy, 592
in hypertensive patients, 594
in musculoskeletal disorders, 637
in pregnancy/lactation, 637
renal effects of, 593–594
Idoxuridine, 771
Imipenem, 755
in gonococcal infection, 71
Imipramine, in depression, 570–572
Immitance audiometry. See under *Audiometry*.
Immune response, age-related changes in, 884–885
Immunization, **713–729**
concurrent, 724
diphtheria, 714–718
for lower respiratory infections, 822
Haemophilus influenzae b, 714–715, 723
hepatitis B, 724–725
in otitis media, 281
in pregnancy, 632–633, 724
influenza, 723–724, 822
mumps, 722
of premature infants, 724
passive, 725
pertussis, 714–720
pneumococcus, 723, 822
poliovirus, 714–718, 720–721
principles of, 714
routine, 714–718
rubella, 722–723
rubeola, 721–722
side effects of, 716–718
tetanus, 714–718
varicella-zoster, 725
Immunodeficiency, opportunistic infections in. See *Opportunistic infections*.
Immunoglobulins, prophylactic treatment with, 725
in pregnancy, 632
Immunotherapy, in allergic rhinitis, 315
in COPD, 680
in venereal warts, 141
Impetigo, 534–535, 867, 875
in pregnancy, 636
Indomethacin, in diabetic neuropathy, 592
in gout, 592
in headache, 591
in hypertensive patients, 594
in male infertility, 592–593
in pediatric patients, 595
Infections. See also specific disease.
anaerobic, antibiotics for, 767–768
antibiotics in. See *Antibiotics*.
chlamydial. See *Chlamydial infection*.
diarrheal, **853–866**
drug therapy for, in pregnancy, 633–637
fungal. See *Fungal infections*.
gastrointestinal, 633
immunization for. See *Immunization*.
in elderly persons, **883–903**
of breast, in lactation, 633
of external ear, 225–227, 445–446
in ear piercing, 216
of eye, **775–791**
of heart, 633
of larynx, hoarseness in, 359–360
of middle ear, 532–533. See also *Otitis media*.
of prostate, 535–536, 827, 830, 841, 897
of salivary glands, 406–408
of sinuses. See *Sinusitis*.
of skin, 534–535, 636, **867–881**
in elderly persons, 898–900
of soft tissue, 534–535
in elderly persons, 898–900
necrotizing, 870–871
office laboratory testing in, **731–743**
opportunistic, AIDS-associated, **543–564**
parasitic. See *Parasitic disease*.
protozoal. See *Protozoal infections*.
respiratory tract, 530–532, 634
lower, **811–824**
upper, 309–310, **793–809**
sexually transmitted. See *Sexually transmitted diseases*.
superinfection, 889
tick-borne, 636
urinary tract. See *Urinary tract infection*.
viral. See *Viral infections*.
Infectious mononucleosis, laboratory tests in, 741–742
Infertility, in pelvic inflammatory disease, 174
male, NSAIDs in, 592–593
sexually transmitted disease and, 175–176
Influenza, 793–796
immunization for, 632, 723–724, 822
in pregnancy/lactation, 632, 634
Inhalant therapy, in asthma, 686, 688–690, 693–697
in COPD, 674–676
Insomnia, in pregnancy, 638
Insufflation, in otitis media, 283
Insulin, 499–510
administration of, 503–504, 507
"dawn phenomenon" and, 508

dosage of, 505–510
during fasting periods, 510
for surgical patients, 509–510
in "honeymoon" phase, 507–508
in pregnancy/lactation, 630–631
in renal failure, 508–509
mixtures of, 504–505
oral hypoglycemics with, 515
pharmacokinetics of, 503–504
pump infusion of, 507
purity of, 503
selection of, 505–506
Somogyi effect and, 508
species sources for, 501, 503, 506
storage of, 503
strengths of, 501
types of, 499–500
Intercourse, anal, 35–36
among heterosexual couples, 40
extramarital, 33
premarital, 32–33
Interferon, in venereal warts, 140
Ipratropium bromide, in allergic rhinitis, 314
in COPD, 675
Irrigation, in cerumen removal, 220–221
in sinusitis, 331
Ischemic neuritis, Bell's palsy in, 449
Isocarboxazid, in depression, 575
Isoniazid, in lactation, 634
in mycobacterial infection, 557
in pregnancy, 634
in tuberculosis, 556
interactions with ketoconazole, 555
Isospora belli infection, AIDS-associated, 550
Isotretinoin, in pregnancy, 630

Jarisch-Herxheimer reaction, in syphilis, 53

Kanamycin, 765
Kaolin/pectate preparations, in pregnancy, 631
Kaposi's sarcoma, oral, in AIDS, 392
Keloids, of external ear, 228–229
Keratitis, 788–789
Keratosis, of external ear, actinic, 229
seborrheic, 228
Ketoconazole, in fungal infections, 555, 770–771
oral candidiasis, 382
vaginitis, 122
Kidney failure, insulin dosage in, 508–509
NSAIDs use in, 593–594
Kinsey survey, 31–32
Klebsiella pneumoniae, 815, 818, 890
Koilocytes, in human papillomavirus infection, 131

Labetalol, in pregnancy/lactation, 629
Laboratory testing (office), in infectious disease, **731–743**
advantages of, 732
diarrhea, 859–863
Gram stain, 734–735
mononucleosis, 741–742
problems with, 731–732
regulation of, 731
throat streptococcal screening, 739–740
urinalysis, 733–734
urine culture, 735–739
vaginitis, 740–741
Labyrinthitis, toxic, dizziness in, 301
Lacrimal system, infections of, 787
Lactation, drug use in, **623–645**
cardiovascular, 629–630
dietary, 640–641
illicit, 640
in allergy, 628–629
in endocrine disorders, 630–631
in fever, 631
in gastrointestinal disorders, 632, 633
in headache, 637
in infectious disease, 633–636
in musculoskeletal disorders, 637
in psychologic disorders, 638–639
in respiratory disorders, 639
in seizures, 640
oral contraceptives, 609
Laryngitis, hoarseness in, 359–360
Laryngoscopy, 355–356
Larynx, anatomy of, 347–351
disorders of. See *Hoarseness*.
embryology of, 347–348
examination of, 354–356
glottic, 350–351
subglottic, 351
supraglottic, 349–350
Laser therapy, in venereal warts, 140
Leg cellulitis, 870
Legionella pneumonia, 818–819, 890
Leprosy, hoarseness in, 360
Lesbians, sexual practices of, 36–37
Leucovorin (folinic acid), in *Isospora belli* infection, 550
in *Pneumocystis carinii* pneumonia, 544–545
in toxoplasmosis, 549
Leukoplakia, 388–390
hairy, in AIDS, 392
Levothyroxine, in pregnancy/lactation, 631
Lice infestation, drug therapy for, in pregnancy, 634
sexually transmitted, 161–162

Lichen nitidus, vs. venereal warts, 136
Lichen planus, oral, 390–391
Lichen sclerosus, 124–125
Lichen simplex, vulvar, 124–125
Lidocaine, in tinnitus, 295
Lindane, in crab lice infestation, 161–162
  in pregnancy, 633
Liothyronine, in pregnancy, 631
Lip disorders, 367–370
Lipid metabolism, hypercholesterolemia and, 479–481
Lipid Research Clinics Coronary Primary Prevention Trial, 482
Lipoid proteinosis, hoarseness in, 360
Lithium, in bipolar disorders, 582–585, 639
  in depression, 580
  in pregnancy/lactation, 639
  NSAIDs use with, 595
Liver, NSAIDs effects on, 597–598
Loperamide, in pregnancy, 631–632
Lorcarbef, 522
Lovastatin, in hypercholesterolemia, 489–492
Ludwig's angina, 869–870
Lupus erythematosus, hoarseness in, 360
Lyme disease, drug therapy for, 754
  in pregnancy, 636
  facial paralysis in, 444–445
Lymph nodes, of neck, anatomy of, 418
  inflammation of, 426
Lymphadenopathy, in lymphogranuloma venereum, 154
Lymphangioma, of salivary glands, 405–406
Lymphocytes, age-related changes in, 884–885
Lymphogranuloma venereum, **153–157**
Lymphoma, in neck, 429

Macrocytosis, in zidovudine therapy, 553
Macrophages, age-related changes in, 885
Magnesium sulfate, obstetric use of, 637–638
Malaria prophylaxis, in pregnancy, 632–633
Malignancy, vs. venereal warts, 133–134
Mania, acute, lithium in, 582
Manic-depressive disorder. See *Bipolar disorders.*
Maprotiline, in depression, 576–577, 579
Marijuana use, in pregnancy, 640
Mastitis, drug therapy for, 633
Measles immunization, 721–722
Mebendazole, in pinworm infestation, 169
  in vaginitis, 124
Mechanical ventilation, in COPD, 682
Meclizine, in pregnancy/lactation, 631, 637
Meleney's gangrene, 870
Melkersson-Rosenthal syndrome, 369, 447–448
Meniere's disease, 299–300
  hearing loss in, 258
  treatment of, 303–304
  with tinnitus, 292
Meningitis, in sinusitis, 331
Meningococcal vaccine, 726
Meningococcemia, 878–879
Meningococcemia-like staphylococcal skin infection, 875
Menopause, estrogen therapy in, 647–652
Mental illness. See *Affective disorders.*
Meperidine, in pregnancy/lactation, 638
Mestranol, in oral contraceptives, 606
Metamucil, in hypercholesterolemia, 485
Metastatic disease, of neck, 427–429
Methenamine mandelate, in urinary tract infection, 830
Methicillin, 749–750
Methotrexate, NSAIDs use with, 595
Methyldopa, in pregnancy/lactation, 629–630, 637–638
Methylprednisolone, in asthma, 695
  in COPD, 678
Methylxanthines, in COPD, 676–678
Metoclopramide, in vomiting, in pregnancy, 631
Metronidazole, 767–768
  in amebiasis, 166
  in cellulitis, 900
  in giardiasis, 167
  in infectious diarrhea, 864–865
  in protozoal infections, 550
  in sexually transmitted disease, in pregnancy/lactation, 635
  in trichomoniasis, 165
  in vaginitis, 122–123, 834–835
Mevastatin, in hypercholesterolemia, 489
Mezlocillin, 750
Miconazole, in fungal infections, 770
  in pregnancy/lactation, 633, 636
Microbiology. See *Laboratory testing (office).*
Microtia, 214
Middle ear disorders. See under *Ear disorders.*
Migraine headache, in pregnancy/lactation, 637
Minocycline, 759–760
Misoprostol, with NSAIDs, 597
Mite infestation, sexually transmitted, 162–163
Molluscum contagiosum, vs. venereal warts, 136–137
Monoamine oxidase inhibitors, in depression, 574–576
Monobactams, 755
Mononucleosis, laboratory tests in, 741–742
Morphine, in pregnancy/lactation, 638
Moxalactam, 753
Mucocele, in sinusitis, 329–330

of lip, 370
Mucoepidermoid carcinoma, of salivary glands, 411, 431
Mucolytics, in COPD, 681
in otitis media, 281
Multiple sclerosis, hoarseness in, 358
Mumps, 406
immunization for, 722
Mupirocin, 524, 535
Musculoskeletal disorders, drug therapy for, in pregnancy/lactation, 637
Mycobacterial disease, AIDS-associated, 556–557
Mycoplasma pneumoniae, 817–818
in lower respiratory infections, 812, 815
in otitis media, 801
Myositis, streptotoccal, 871
Myringotomy, in otitis media, 281–282
Myxedema, hoarseness in, 358

Nafcillin, 749–750
in pneumonia, 890
Nalidixic acid and congeners, 522, 524–525, 529, 758
Naproxen, in gout, 592
in pediatric patients, 594–595
Nasal disorders. See under *Nose*.
National Cholesterol Education Program, 479, 483–485
National Institute of Allergy and Infectious Diseases, sexually transmitted disease epidemic and, 201–203
National Institutes of Health, sexually transmitted disease research by, 202–203
Nausea, drug therapy for, in pregnancy, 631
Nebulizer, in asthma, 690
Neck masses, **415–435**. See also *Salivary glands, disorders of*.
anatomic considerations in, 415, 417–418
biopsy in, 432–433
clinical tests in, 421–422
congenital, 424–425
examination of, 420–421
general approach to, 422–423
history in, 418–420
in AIDS, 426
inflammatory, 426
lymphoma, 429
metastatic, 427–429
neoplastic, 427–431
of branchial cleft origin, 424
symptoms of, 418–420
thyroglossal duct cyst, 424–425
treatment of, 431–433
types of, 415
Necrotizing soft tissue infections, 870–871
Necrotizing ulcerative gingivitis, 373–374
Neisseria, in skin infections, 878–879
Neisseria gonorrhoeae, in cervicitis, 835–836
in pelvic inflammatory disease, 836–837
in urethritis, 839–841
Neomycin, 765
in conjunctivitis, 786
Neonate, chlamydial infection in, 90–91
congenital syphilis in, 50–53, 176
gonococcal infection in, 72
herpes infection in, 109–110, 179
Neoplasia. See also *Tumors*.
of external ear, 227–229
of salivary glands, 409–411
oral contraceptives and, 614
vs. venereal warts, 134
Nephropathy, in NSAIDs use, 593–594
Nephrotoxicity, of aminoglycosides, 766
Netilmicin, 765–766
Neurologic disease, hoarseness in, 358, 360
Neuroma, acoustic, acoustic reflex testing in, 245
diagnosis of, 253–254
facial paralysis in, 446
tinnitus in, 292
facial, 446
Neuropathy, diabetic, NSAIDs in, 592
Neuropraxia, in facial nerve paralysis, 442
Neurosyphilis, 50–51, 177
in pregnancy/lactation, 635
Neurotmesis, in facial nerve paralysis, 442
Neutropenia, drug-induced, 557–558
Nicotinic acid (niacin), in hypercholesterolemia, 489, 492
Nitrofurantoin, 768
in urinary tract infection, 527–528, 636, 830–831, 895–896
Nodules, on larynx, 356
Noise, hearing loss from, 255
tinnitus from, 291
Nonsteroidal anti-inflammatory drugs, **589–601**
adverse effects of, 595–598
efficacy of, 589–593
in arthritis, 590
in children, 594–595
in diabetic neuropathy, 592
in dysmenorrhea, 590–591
in gout, 592
in headache, 591–592
in hypertensive patients, 594
in male infertility, 592–593
in musculoskeletal disorders, 637
in pregnancy/lactation, 637
in renally compromised patients, 593–594
lithium use with, 595
methotrexate use with, 595
zidovudine use with, 595
Norethindrone, in oral contraceptives, 607–608

Norethynodrel, in oral contraceptives, 607–608
Norfloxacin, 522–523, 528–529, 758
  in gonococcal infection, 78
  in perichondritis of ear, 223
  in pneumonia, 892
Norgestrel, in oral contraceptives, 607–608
Nortriptyline, in depression, 570–571
Norwalk virus infection, diarrhea in, 854, 858, 861
Nose, disorders of, rhinitis, **309–322**, 699–700
    sinusitis, **323–334**
  foreign bodies in, vs. rhinitis, 319–320
  polyps of, rhinitis in, 318
  tumors of, vs. rhinitis, 319
Nosocomial pneumonia, 819, 891
NSAIDs. See *Nonsteroidal anti-inflammatory drugs.*
Nursing home, hearing loss in, 262
Nystatin, in fungal infections, 554, 769–770
    oral candidiasis, 382
  in parasitic infestations, in pregnancy/lactation, 633
  in vaginitis, 121

Oat bran, in hypercholesterolemia, 485
Obstetrical complications, drug therapy in, 637–638
Ofloxacin, 522–523
  in otitis media, 533
  in urinary tract infection, 529
Ophthalmic allergy, drug therapy for, 700
Opportunistic infections, AIDS-associated, **543–564**
    bacterial, 556–557
    fever in, 558
    fungal, 554–556
    management of, 544
    protozoal, 544–550
    viral, 550–554
Oral cavity disorders, **365–401**
  aphthous stomatitis, 378–381
  candidiasis, 381–382
  clinical evaluation in, 365–367
  erythema multiforme, 386
  gingiva, 370–374
  in AIDS, 391–392
  Kaposi's sarcoma, 392
  leukoplakia, 388–390, 392
  lichen planus, 390–391
  lips, 367–370
  otalgia in, 215–216
  pemphigoid, 387–388
  pemphigus vulgaris, 386–387
  squamous cell sarcoma, 392–395
  tongue, 374–378
  xerostomia, 382–386
Oral contraceptives, **603–622**
  adverse effects of, 611–616
  biphasic, 609
  choice of, 618–619
  combination products, 609
  composition of, 606–609
  contraindications to, 617
  drug interactions with, 616–617
  efficacy of, 606
  estrogens in, 606
  in lactation, 609
  instructions for use of, 610–611
  "low dose," 609
  menstrual cycle and, 603–606
  "mini-pill," 609
  noncontraceptive benefits of, 617–618
  patient monitoring in, 619
  progestin-only type, 609
  progestins in, 607–609
  smoking, 612 and
  triphasic, 609
Oral hypoglycemic drugs, 510–516
  in pregnancy/lactation, 631
Orbit, infection of, 790–791, 869
  sinusitis effects on, 330–331
Orogenital sex, 40
Osteoma, of external ear, 227–228
Osteomyelitis, in sinusitis, 330
Osteoporosis, **652–660**
  assessment of, 654
  bone loss rate in, 652–653
  demographics of, 653–654
  treatment of, 654–659
Otalgia, 215–216
  in neck masses, 418–419
Otitis externa, acute, 225
  chronic, 225–226
  facial paralysis in, 445–446
  in foreign body obstruction, 219–220
  necrotizing, 226–227
Otitis media, **267–287**, 800–804
  acute, 268, 270–273
  antibiotics for, 532–533
  chronic, 268, 271
  classification of, 267–268
  clinical course of, 272–273
  clinical presentation of, 270–272
  diagnosis of, 270–272
  dizziness in, 301
  facial paralysis in, 445
  hearing loss in, 243
  incidence of, 269–270
  microbiology of, 273–275
  pathogenesis of, 268–270
  prevention of, 283–284
  screening for, 275–277
  subacute, 268, 271, 273
  treatment of, mechanical, 283
    medical, 277–281
    surgical, 281–283

tympanometry in, 241–242
Otomycosis, 226
Otosclerosis, 256–257
dizziness in, 301
tinnitus in, 291
Oxacillin, 749–750
Oxygen tension, in COPD, 672
Oxygen therapy, in COPD, 679–680
Oxyphenbutazone, in diabetic neuropathy, 592
Oxytetracycline, in bronchitis, 531

Paget's disease, hearing loss in, 258
Pain, drug therapy for, in pregnancy/lactation, 638
in ear, 215–216
in neck masses, 418–419
Palatal myoclonus, tinnitus in, 290–291
Pap smear, in venereal warts, 132
Papillary cystadenoma lymphomatosum, 410, 430
Papilloma, laryngeal, hoarseness in, 357
Papillomavirus infection. See *Human papillomavirus infection.*
Paralysis, of vocal folds, hoarseness in, 357
Paranasal sinuses, inflammation of. See *Sinusitis.*
Parasitic disease, drug therapy for, in pregnancy, 633–634
sexually transmitted, **159–172**
amebiasis, 165–166
crab louse, 161–162
cryptosporidiosis, 169
Dientamoeba fragilis, 169–170
Entamoeba hartmanni, 169–170
Enterobius vermicularis, 168–169
gay bowel syndrome and, 163–164
giardiasis, 166–167
scabies, 162–163
strongyloidiasis, 167–168
trichomoniasis, 164–165
Paromomycin, in amebiasis, 166
in giardiasis, 167
Parotid gland, anatomy of, 404–405
physiology of, 404–405
tumors of, 409–410, 423, 429–430
Parotitis, 406
Paroxysmal positional vertigo, 301
Pediatric patients, chlamydial infection in, 90–91
gonococcal infection in, 72–76
herpes infection in, 109–110
immunization in. See *Immunization.*
infectious diarrhea in, 865
NSAID use in, 594–595
sexually transmitted diseases in, 838
Pediculosis, drug therapy for, in pregnancy, 634
sexually transmitted, 161–162
Peep shows, sexual behavior in, 39
Pefloxacin, 522, 524
Pelvic inflammatory disease, 837–838
drug therapy for, in pregnancy/lactation, 635
in sexually transmitted disease, 173–175
chlamydial, 88
gonococcal, 70
Pemphigoid, benign mucous membrane, oral, 387–388
Pemphigus, hoarseness in, 360
oral, 386–387
Penicillin(s), 747–750
allergy to, 756–757
in anaerobic infections, 767
in gonococcal infection, 68, 76–78
in mastitis, 633
in otitis media, 277
in pharyngitis, 798–799
in pneumonia, 821
in pregnancy/lactation, 634–636
in prostatitis, 897
in sexually transmitted disease, 635
in skin infections, 636, 867–868
in streptococcal pharyngitis, 337
in syphilis, 53, 634–635, 845
in tick-borne disease, 636
new developments in, 523
Penicillin G, 747–748
in arthritis-dermatitis syndrome, 879
in pneumonia, 888, 890
Penicillin V, 748
in streptococcal skin infections, 867–868
Penile rings, 41
Pentamidine, in *Pneumocystis carinii* pneumonia, 545, 548–549
Perichondritis, of external ear, 223
Perilymphatic fistula, dizziness in, 300–301
Periorbital cellulitis, 868–869
Perleche (angular cheilitis), 368
Permethrin, in lice infestation, in pregnancy, 634
Perphenazine, in pregnancy/lactation, 639
Pertussis immunization, 714–720
Pharmacotherapy, antibiotics in. See *Antibiotics.*
antidepressants in, 567–581, 638–639
antidiabetic agents in, **499–519**, 630–631
antiviral agents in, 550–554
estrogens in. See *Estrogens.*
for affective disorders, **565–583**, 638–639
for AIDS-related infections, **543–564**
for allergy, **685–701**
for asthma, **685–701**
for bipolar disorder, 582–585, 639
for chronic obstructive pulmonary disease, **667–684**
for depression, 567–581, 615, 638–639
for diabetes. See *Diabetes mellitus.*

Pharmacotherapy *(Continued)*
for fungal infections. See *Fungal infections.*
for hypercholesterolemia, **479–497**
for lower respiratory tract infections, 530–532
for opportunistic infections, **543–564**
for osteoporosis, **647–666**
for otitis media, 532–533
for prostatitis, 535–536
for protozoal infections, 544–545, 548–550
for sinusitis, 533–534
for skin disorders, 534–535, 630
for urinary tract infections, 526–529, 636
for viral infections, 550–554, 626–627
in clinic practice, 474–475
in family practice, 472–474
in lactation, **623–645**
in menopause, **647–666**
in pregnancy, **623–645**
in primary care, **469–477**
nonsteroidal anti-inflammatory drugs in, **589–601**
oral contraceptives in, **603–622**
polypharmacy in, 886
specialist in, 470–472
Pharyngitis, **335–337**, 796–800
gonococcal, 77
Phenelzine, in depression, 575
Phenothiazines, in pregnancy/lactation, 631, 639
Phenylbutazone, hepatotoxicity of, 597
in gout, 592
Phenylketonuria, artificial sweeteners and, 641
Phenylpropanolamine, in allergy, 699
in pregnancy, 639
Phenytoin, in pregnancy/lactation, 639–640
Phthirus pubi infestation, 161–162
Pinworms, sexually transmitted, 124, 168–169
Piperacillin, 750
Piperonyl butoxide, in lice infestation, 161–162
in pregnancy, 634
Pirbuterol, in asthma, 689
Piroxicam, adverse effects of, 596–597
Plague vaccine, 726
Plasma cell cheilitis, 369
Platelet aggregation inhibitors, 597
Pneumococcal pneumonia, 817
Pneumococcal vaccine, 723, 822
in COPD, 680
Pneumocystis carinii pneumonia, **544–545**, 548–549
Pneumonia, 814–822
classification of, 814
diagnosis of, 815–817
drug therapy for, 531–532
in pregnancy, 634
in chlamydial infection, 91
in elderly persons, 887–892
Pneumocystis carinii, 544–545, 548–549
prevention of, 822
symptoms of, 814–815
treatment of, 820–822
in elderly, 888–892
types of, 817–820
viral, 819–820
Podophyllin, in pregnancy, 635
Podophyllum, in venereal warts, 138–139
Poliovirus immunization, 714–718, 720–721
Political aspects, of sexually transmitted disease, **193–204**
Polyarteritis nodosa, hoarseness in, 360
Polychondritis, relapsing, hoarseness in, 360
of external ear, 223
Polycythemia, in COPD, 681
Polypharmacy, infection development and, 886
Polyps, of external ear, 228
of nose, rhinitis in, 318
of vocal folds, hoarseness in, 356–357
Pravastatin, in hypercholesterolemia, 489
Prednisone, in asthma, 694–696
in benign mucous membrane pemphigoid, 388
in erythema multiforme, 386
in facial nerve paralysis, 457
in lichen planus, 391
Pregnancy, Bell's palsy in, 449
drug use before, 627–628
drug use in, **623–645**
anesthesia, 628
dietary, 640–641
fetal exposure to, 623–624
illicit, 640
immunization, 632–633, 724
in allergy, 628–629
in cardiovascular disorders, 629–630
in dermatologic conditions, 630, 636
in endocrine disorders, 630–631
in fever, 631
in gastrointestinal disorders, 631–633
in infectious disease, 633–637
in malaria prophylaxis, 632–633
in musculoskeletal disorders, 637
in neurologic disorders, 637
in obstetrical complications, 637–638
in pain control, 638
in psychologic disorders, 638–639
in respiratory disorders, 639
in seizures, 639–640
in sexually transmitted disease, 634–636
in viral infection, 636–637
lithium, 584–585
oral contraceptives, 615
ectopic, in pelvic inflammatory disease, 173–175
genital herpes simplex infection in, 108–109

urinary tract infection in, 826
venereal warts in, 141
Presbycusis, 255–256
tinnitus with, 292
Primaquine, in pregnancy, 633
Probenecid, in gonococcal infection, 68
in pharyngitis, 799
in sexually transmitted disease, in pregnancy/lactation, 635
Probucol, in hypercholesterolemia, 491–492
Procaine penicillin G, in sexually transmitted disease, in pregnancy/lactation, 635
Prochlorperazine, in lactation, 631
Proctitis, in lymphogranuloma venereum, 154
Proctoscopy, in venereal warts, 133
Progesterone excess, hoarseness in, 359
Progestins, in menopausal estrogen therapy, 650
in oral contraceptives, 607–609
in osteoporosis, 657–658
Promethazine, in vomiting, 631
Propranolol, in pregnancy/lactation, 629, 637, 639
Propylthiouracil, in pregnancy/lactation, 631
Prostatitis, 827, 830, 897
antibiotics in, 535–536
urethritis and, 841
Prostitution, 33–34
Protozoal infections, AIDS-associated, 544–550
diarrhea in, 859, 863–864
sexually transmitted, 116, 122–123, 163–170
Protriptyline, in depression, 570, 572–573
Pruritis, drug therapy for, in pregnancy, 630
vulvar, 124–125
Pseudoephedrine, in allergy, 699
in pregnancy, 639
Pseudomonic acid (mupirocin), in soft-tissue infections, 535
Psychotic depression, treatment of, 567
Psychotropic drugs, in pregnancy/lactation, 639
Psyllium, in hypercholesterolemia, 485, 629
Pulmonary function tests, in COPD, 671
Pyelonephritis. See also *Urinary tract infection.*
drug therapy for, 526–529, 636
Pyrantel pamoate, in pinworm infestation, 169
Pyrazinamide, in tuberculosis, 556
Pyrethrins, in lice infestation, 161–162
in pregnancy, 634
Pyrimethamine, in *Isospora belli* infection, 550
in toxoplasmosis, 549

Questran/Questran Light (cholestyramine), in hypercholesterolemia, 487–488
Queyrat, erythroplasia of, vs. venereal warts, 134
Quinacrine, in giardiasis, 167
in infectious diarrhea, 864
Quinolones, 523, 757–759
in urinary tract infection, 895

Rabies vaccine, 726
in pregnancy, 632
Rantidine, in pregnancy, 632
with NSAIDs, 596
Ranula, 370
Rectal disorders, in anal intercourse, 36
Recurrent aphthous stomatitis, 378–381
Reflectometry, acoustic, 235, 241
Relapsing polychondritis, hoarseness in, 360
Research, on sexually transmitted disease, 202–203
Respiratory disorders, **793–809**, **811–824**. See also *Bronchitis*; *Chronic obstructive pulmonary disease*; *Otitis media*; *Pneumonia.*
common cold, 309–310, 793–796
drug therapy for, 530–532, 634
in pregnancy/lactation, 634, 639
host defenses against, 811–812
mechanisms of infections and, 812
pharyngitis, 77, **335–337**, 796–800
predisposing factors for, 812
sinusitis, **323–334**, 533–534, 804–807
Respiratory failure, acute, in COPD, 673, 681–682
Retinitis, cytomegaloviral, 551–552
Retinoic acids, in venereal warts, 141
Retrovir. See *Zidovudine.*
Retroviral infections, pharmacotherapy for, 552–554
Rhabdomyolysis, in lovastatin therapy, 490
Rheumatic fever, streptococcal pharyngitis and, 798–800
Rheumatoid arthritis, hoarseness in, 360
NSAIDs in, 590
Rhinitis, **309–322**
allergic, 310–315
drug therapy for, 699–700
atrophic, 317–318
compensatory hypertrophic, 318
differential diagnosis of, 319–321
drug-induced, 317
eosinophilic nonallergic, 316
from common cold, 309–310
vasomotor, 316–317
with nasal polyps, 318
Rifabutin, in mycobacterial infection, 557
Rifampin, 768
in lactation, 634
in mycobacterial infection, 557
in pregnancy, 634

Rifampin *(Continued)*
in staphylococcal skin infection, 875
in tuberculosis, 556
interactions with ketoconazole, 555
Rimantidine, 772
Rinne test, in hearing assessment, 252
Ritodrine, in preterm labor, 637
Ritter's disease, 875
Rocky Mountain spotted fever, in pregnancy, 636
Rotavirus infection, diarrhea in, 854, 857, 861
Roxithromycin, 524
Rubella immunization, 722–723
Rubeola immunization, 721–722

Sacroiliitis, in pelvic inflammatory disease, 175
Safranin, in Gram stain technique, 734–735
Saliva, substitutes for, 385
Salivary glands, anatomy of, 403–405
disorders of, **403–413**
benign tumors, 410
calculi, 407–408
congenital, 405–406
cysts, 409
examination in, 411–412
functional testing in, 384
granulomatous lesions, 409
inflammation, 368–369
malignant tumors, 410–411
mumps, 406–407
neoplasms, 409–411, 429–430
nonneoplastic enlargement, 409
recurrent sialadenitis/sialectasis, 408
sialometaplasia, 409
Sjogren's syndrome, 408
suppurative sialadenitis, 407
trauma, 406
xerostomia, 382–386, 408–409
flow promotion in, 385
physiology of, 403–405
Salmonella infection, AIDS-associated, 557
diarrhea, 855, 858, 864
Salpingitis, 88, 837–838
Sarcoidosis, hoarseness in, 360
Sarcoma, Kaposi's, oral, 392
Sarcoptes scabiei infestation, 162–163
Scabies, drug therapy for, in pregnancy, 633–634
sexually transmitted, 162–163
Scalded skin syndrome, staphylococcal, 875
Scarlet fever, 872
Schirmer's test, in facial paralysis, 449
Schizoaffective disorder, diagnosis of, 566
Scleroderma, hoarseness in, 360
Scrotal tongue, 377
Sebaceous cyst, of external ear, 228
Seborrhea, of external ear, 224
Seborrheic keratosis, of external ear, 228
Sedatives, in COPD, 681
Seizures, drug therapy for, in pregnancy/lactation, 639–640
Sexual behavior, anal intercourse among heterosexuals, 40
bisexual, 37–40
current knowledge on, 30–31
devices for, 41
digital play, 41
extramarital interactions, 33
in female homosexuals, 36–37
in male homosexuals, 34–36
instruments for, 41
Kinsey survey on, 31–32
oral sex, 40
physician's attitude toward, 42
premarital intercourse, 32–33
prostitution, 33–34
research on, 30–32
scale for, 37
Sexual intercourse. See *Intercourse.*
Sexually transmitted diseases, 833–851
cervicitis, 87, 835–836, 838
chancroid, **145–152**, 845
chlamydial infection. See *Chlamydial infection.*
contraceptives and, 189
control of, 16–22, 183–185
governmental responsibility for, 3
politics of, 195–200
resources for, 4
detection of, 19–20
disseminated, 71, 846–848, 878–879
drug therapy for, in pregnancy/lactation, 634–636
education in. See *Education.*
epidemiology of, 2, 193–194, 833. See also specific disease.
bacterial infections, 7–11
viral infections, 11–16
follow-up in, 190
future directions in, 22–23
gonococcal infection. See *Gonococcal infection.*
herpes simplex infection. See *Genital herpes simplex infection.*
hotlines for, 17–18
information sources for, 190, 200
lymphogranuloma venereum, **153–157**
nonjudgmental approach to, 190
overview of, **1–27**
parasitic, 124, **159–172**
partner notification in, 21–22
patient counseling in, 20–21
pelvic inflammatory disease. See *Pelvic inflammatory disease.*
politics of, **193–204**
AIDS impact on, 194–195
federal funding in, 195–200

research activities in, 202–203
training and, 200–201
population at risk for, 2–3
prevention of, 16–22
moral approach in, 185
politics of, 195–200
primary care provider and, 4–5, **183–191**
public health and, 2–6
public interest in, 6
recent prominence of, 1–2
risk factors in, 188–189
screening for, 847
sequelae of, **173–181**
in herpes infection, 178–179
in human papillomavirus infection, 177–178
in syphilis, 176–177
infertility, 175–176
pelvic inflammatory disease, 70, 88, 173–175
sexual behavior and. See *Sexual behavior*.
social impact of, 203–204
syphilis. See *Syphilis*.
treatment of, 20
in clinics, 18–19
ulcers, 841–845
urethritis in male, 839–840
vaginal infections, **115–125**, 834–835
warts, **127–144**, 177–178, 845
Shigella, in diarrhea, 855, 858, 864
Sialadenitis, acute suppurative, 407
chronic recurrent, 408
Sialectasis, chronic, 408
Sialometaplasia, 409
Simethicone, in pregnancy, 632
Simvastatin, in hypercholesterolemia, 489
Singer's nodes, 356
Sinus, congenital, of external ear, 214
Sinusitis, **323–334**, 804–807
anatomic considerations in, 323–324
antibiotics for, 533–534
bacteriology of, 325
clinical presentation of, 325–326
complications of, 329–331
diagnostic imaging in, 326–328
etiology of, 324–325
incidence of, 323
medical therapy of, 328–329
pathophysiology of, 324
surgery for, 331–332
vs. rhinitis, 321
Sjogren's syndrome, salivary gland involvement in, 408–409
Skin disorders, **867–881**. See also *Dermatologic disorders*.
drug therapy for, 534–535
in pregnancy/lactation, 630
Haemophilus influenzae in, 880
in elderly persons, 898–900
Neisseria in, 878–879
staphylococcal, 874–878
streptococcal, 867–874
vs. venereal warts, 137
Smoking, in pregnancy, 640
oral contraceptives and, 612
Soft-tissue infections, antibiotics for, 534–535
in elderly persons, 898–900
necrotizing, 870–871
Somogyi effect, insulin and, 508
Sorbinil, in diabetic neuropathy, 592
Sore throat (pharyngitis), 77, 335–337, 796–800
Spastic dysphonia, 357
Spectinomycin, 766
in arthritis-dermatitis syndrome, 879
in sexually transmitted disease, in pregnancy, 634
Spermatogenesis, NSAIDs effects on, 592–593
Spinhaler, in asthma, 693
Sputum evaluation, in pneumonia, 816
Squamous cell carcinoma, metastatic to neck, 427–429
of external ear, 229
of oral cavity, 392–395
of salivary glands, 411
Stapedial reflex test. See *Acoustic reflex testing*.
Staphylococcal infections, antibiotics for, 534–535
cutaneous, 874–878
diarrhea, 854–855, 858, 862
pneumonia, 818
Stevens-Johnson syndrome, 386
Stimulants, in depression, 580
Stool specimen, in infectious diarrhea, 859–863
Streak plate method, for urine culture, 736
Streptococcal infections, cutaneous, 534–535, 867–874
myositis, 871
pharyngitis, 336–337, 796–800
screening technique for, 739–740
Streptococcus pneumoniae, in chronic bronchitis, 893–894
in otitis media, 801, 803
in pneumonia, 887–888
in sinusitis, 805
Streptomycin, 764–765
in tuberculosis, 556
Strongyloidiasis, sexually transmitted, 167–168
Sty, 779–780
Sublingual gland, anatomy of, 405
Submandibular glands, anatomy of, 405
calculi of, 407–408
ptosis of, 417
tumors of, 429–431
Sucralfate, in pregnancy, 632

Sucralfate *(Continued)*
with NSAIDs, 597
Sulfadiazine, in toxoplasmosis, 549
Sulfisoxazole, 761
in lymphogranuloma venereum, 156
in otitis media, 532–533
in pregnancy/lactation, 636
in urinary tract infection, 527, 636, 830
Sulfonamides, 761–762
in otitis media, 279
Sulfonylureas, in diabetes, 510–516
Sulindac, adverse effects of, 596–597
in diabetic neuropathy, 592
in gout, 592
in hypertensive patients, 594
renal effects of, 593–594
Sultamicillin, 523
in otitis media, 533
in soft-tissue infections, 535
in urinary tract infection, 529
Superinfection, in elderly, 889
Surfactants, in otitis media, 281
Sweeteners, artificial, in pregnancy, 641
Swimmer's ear, 225
β-Sympathomimetic agonists, in asthma, 687–690
Sympathomimetics, in allergic rhinitis, 314
in COPD, 674–675
Syphilis, **47–57**, 843–845
congenital, 50–53, 176
disseminated, 846–847
drug therapy for, in pregnancy/lactation, 634–635
epidemiology of, 7–8
historical aspects of, 47–48
hoarseness in, 360
incubation of, 48
Jarisch-Herxheimer reaction in, 53
laboratory tests for, 50–51
late, 49–50
latent, 49
patient education in, 55–56
primary, 48
secondary, 48–49
sequelae of, 176–177
treatment of, 53
vestibular dysfunction in, 302
with HIV infection, 53, 55

Tea rooms, sexual behavior in, 38–39
Temporomandibular joint dysfunction, otalgia in, 215–216
Teratogenicity, of drugs. See *Pregnancy, drug use in.*
Terbutaline, in asthma, 688–689
in preterm labor, 637
Terfenadine, in allergy, 698
Testosterone, deficiency of, hoarseness in, 359
in lichen sclerosus treatment, 125
Tetanus immunization, 632, 714–718
Tetracyclines, 759–762
in aphthous stomatitis, 380
in bronchitis, 530–531
in cervicitis, 836
in chlamydial infection, 91
in epididymitis, 841
in infectious diarrhea, 864
in lymphogranuloma venereum, 156
in prostatitis, 536
in urethritis, 839–840
in urinary tract infection, 527
Theophylline, antibiotic interactions with, 532
in asthma, 690–692
in COPD, 676–678
in pregnancy/lactation, 639
Thiabendazole, in strongyloidiasis, 168
Thiamphenicol, in gonococcal infection, 78
Thiazide diuretics, in pregnancy/lactation, 629
Thioridazine, in pregnancy/lactation, 639
Thoracic disease, hoarseness in, 358
Throat culture, 739–740
Throat disorders, croup, **338–340**
epiglottitis, **340–342**
hoarseness, **347–363**
pharyngitis, 77, **335–336**, 796–800
Thromboembolic disease, from oral contraceptives, 612
Thrush, 382
Thyroglossal duct cyst, 424–425
Thyroid hormone disorders, hoarseness in, 358
Ticarcillin, 750
Tick-borne disease, drug therapy for, in pregnancy, 636
Tinnitus, **289–297**
auditory causes of, 291–292
classification of, 289–292
conductive, 291
extra-auditory causes of, 290–291
in central nervous system disorders, 292
incidence of, 294
muscular, 290–291
patient evaluation in, 292–293
psychologic aspects of, 293–294
pulsatile, 290
respiratory, 290
self-help groups for, 294
sensorineural, 291–292
treatment of, 293–296
vascular, 290
Tobramycin, 765
in pneumonia, 891
Tocolytic agents, 637
Tolazamide, as hypoglycemic, 513
Tolbutamide, as hypoglycemic, 511, 513, 515

Tolmetin, in pediatric patients, 594–595
Tolrenstat, in diabetic neuropathy, 592
Toluidine blue test, in oral carcinoma, 394–395
Tongue disorders, 374–378
Tonsillectomy, in otitis media, 283
Toxic labyrinthitis, dizziness in, 301
Toxic shock, staphylococcal, 876–878
  streptococcal, 873–874
Toxoplasmosis, AIDS-associated, 549
Tracheostomy, in epiglottitis, 341
Trachoma, 786–787
Training, of medical personnel on sexually transmitted disease, 200–201
Tranylcypromine, in depression, 575
Trauma, to external ear, 216–217
  to facial nerve, paralysis in, 446–447
  to labyrinth, dizziness in, 300
  to larynx, hoarseness in, 357
Traveler's diarrhea, 865
Trazodone, in depression, 576–579
Trenchmouth (necrotizing ulcerative gingivitis), 373–374
Treponema pallidum, 47–48
Tretinoin, in lichen planus, 391
Triamcinolone acetonide, in aphthous stomatitis, 380
  in asthma, 696
  in chondrodermatitis of ear, 223
  in lichen planus, 391
Trichloroacetic acid, in venereal warts, 140
Trichomoniasis, 116, 122–123, 164–165, 834–835
Tricyclic antidepressants. See under *Antidepressants*.
Trifluoperazine, in pregnancy/lactation, 639
Trifluorothymidine, 771
Trimethoprim, 761
  in urinary tract infection, 527–528
Trimethoprim-dapsone, in *Pneumocystis carinii* pneumonia, 545
Trimethoprim-sulfamethoxazole, in bronchitis, 530–531
  in chancroid, 150
  in gonococcal infection, 77
  in infectious diarrhea, 864
  in *Isospora belli* infection, 550
  in otitis media, 532
  in *Pneumocystis carinii* pneumonia, 544–545, 548–549
  in pneumonia, 821
  in prostatitis, 535–536
  in Salmonella infection, 557
  in sinusitis, 534, 806
  in urinary tract infection, 526–528, 830–831, 895–896
Trimetrexate, in *Pneumocystis carinii* pneumonia, 545
Trimipramine, in depression, 570, 572
Triple sulfa, 761
Trisodium phosphonoformate hexahydrate (foscarnet), in viral infections, 550, 552
Tuberculosis, AIDS-associated, 556
  hoarseness in, 359–360
  immunization for, 726
  in pregnancy/lactation, 634
Tularemia vaccine, 726
Tumors, hearing loss in, 254
  of facial nerve, paralysis in, 446
  of neck. See *Neck masses*.
  of nose, vs. rhinitis, 319
  of parotid gland, 423
  of salivary glands, 409–411
Tympanic membrane, perforation of, hearing loss in, 257
  trauma to, 217
Tympanocentesis, in otitis media, 282
Tympanometry, clinical applications of, 241–243
  definition of, 234
  interpretation of results in, 236–239
  physical principles of, 235–239
Tympanosclerosis, 257
Typhoid immunization, in pregnancy, 632
Typhoid vaccine, 726
Tzanck smear, 103

Ulceration, genital, 841–845. See also *Genital herpes simplex infection*.
  of oral cavity, herpetic, 371
    in aphthous stomatitis, 378–381
    in pemphigus vulgaris, 387
University Group Diabetes Program, 510
Urapadil, in COPD, 680–681
Ureaplasmal urethritis, 840
Ureidopenicillins, 750
Urethritis, 839–841
  in chlamydial infection, 87
Urethroscopy, in venereal warts, 133
Urinalysis, in office laboratory, 733–734
  in urinary tract infection, 828–829
Urinary tract infection, 825–832
  catheter-related, 897–898
  in children, 528–529
  in elderly persons, 894–898
  in lactation, 636
  in men, 528–529
  in pregnancy, 636
  incidence of, 825
  laboratory tests in, 733–739
  management of, 829–830
  new antibiotics for, 529
  pathogenesis of, 826–827
  predisposing factors in, 826
  prophylaxis of, 830–831
  recurrent, 527–528
  therapy duration in, 526–527
Urine culture, 735–739, 828–829

Vaccination. See *Immunization*.
Vaginitis, **115–125**, 834–835
  age-related, 124
  bacterial, 123–124
  candidal, 121–122
  diagnosis of, 119–120
  laboratory tests in, 740–741
  mixed infections in, 117
  physical examination in, 116–118
  pinworms and, 124
  potassium hydroxide preparation in, 116–117
  prepubertal, 124
  pruritis and, 124–125
  saline wet mount preparation in, 116–117
  symptoms of, 116
  treatment of, 121–125
  trichomonal, 122–123
Vaginosis, bacterial, 834–835
  in pregnancy, 635
Valproic acid, in bipolar disorders, 585
Vancomycin, 763–764
  in pneumonia, 890–891
Varicella-zoster infections, immunization for, 725
  in pregnancy, 636–637
Vasoconstrictors, in conjunctivitis, 783–784
Vasomotor rhinitis, 316–317
Venereal warts, **127–144**, 177–178, 845
  acetic acid test in, 133
  biopsy of, 131–132
  child abuse and, 138
  clinical features of, 128–131
  differential diagnosis of, 133–137
  epidemiology of, 127–128
  in pregnancy, 141
  laboratory evaluation of, 131–133
  pap smear in, 132
  referral in, 141
  treatment of, 137–141
  viral typing in, 132
Ventilation tube, in otitis media, 282–283
Verapamil, in bipolar disorders, 585
  in migraine headache, 637
  in pregnancy/lactation, 630, 637
Verrucous carcinoma, vs. venereal warts, 134
Vertigo. See *Dizziness*.
Vestibular dysfunction, syphilitic, dizziness in, 302
Vestibular neuronitis, dizziness in, 301
Vibrators, 41
Vibrio cholerae, in diarrhea, 854, 859, 861, 864
Vidarabine, 772
  in pregnancy, 636
Vincent's angina (necrotizing ulcerative gingivitis), 373–374
Viral infections. See also specific infection.
  AIDS-associated, 550–554
  antibiotics in, 771–772
  Bell's palsy in, 449
  diarrhea in, 854, 857–858
  epidemiology of, 11–16
  hoarseness in, 359
  in pregnancy, 636–637
  of conjunctiva, 786
  otitis media and, 275
  pharyngitis in, 796–798
  pneumonia, 819–820
Vitamin D, in osteoporosis, 658–659
Vocal folds, anatomy of, 350–351
  endocrine disorders affecting, hoarseness in, 358–359
  growths on, 356–357, 361
  local disease of, hoarseness in, 356–357
  paralysis of, 357, 362
  strengthening procedure for, 362
  tension on, reduction of, 362
Voice problems. See *Hoarseness*.
Vomiting, drug therapy for, in pregnancy, 631
Vulvovaginitis. See *Vaginitis*.

Wallenberg's syndrome, dizziness in, 302
Warfarin, in pregnancy, 630
Warthin's tumor, 410, 430
Warts, venereal. See *Venereal warts*.
Webbing, laryngeal, hoarseness in, 357
Weber test, in hearing assessment, 251–252
Wegener's granulomatosis, hoarseness in, 360
Whooping cough immunization, 718–720
World Health Organization, hypercholesterolemia study of, 482

Xerostomia, 382–386, 408–409

Yeast infections, in vaginitis, 116, 118, 121–122, 834–835
Yellow fever vaccine, 726
  in pregnancy, 632
Yersinia species, in diarrhea, 859, 861, 864–865

Zidovudine, antiretroviral activity of, 552–554
  dosage of, with neutropenia, 558
  interactions with ganciclovir, 551
  NSAIDs use with, 595
  synergism with acyclovir, 551
Zoster infections, in pregnancy, 636–637